

**Safety Data Sheet (SDS)**  
*OSHA Haz Com Standard 29 CFR 1910.1200.*

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product Name:	GrabberGard EFS	Product Code:	GGEFS5
Product Type:	Endothermic Spray Sealant	Use:	Sparyable Firestopping Sealant
Chemical Family:	Organic/Inorganic		

Supplier Address:  
Grabber Construction Products  
205 Mason Circle  
Concord, CA 94520

Contact Information:  
Telephone: 800.810.1788  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.firestop.com

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS CLASSIFICATION**

Physical Hazards:	None
Oral:	Not Classified
Dermal:	Not Classified
Inhalation:	Spraying of this product may create aerosols, which may be an irritant to the upper respiratory tract (i.e. nose and throat).
Skin Corrosion / Irritation:	Not Classified
Serious Eye Damage / Eye Irritation:	Not Classified
Respiratory or Skin Sensitization:	Not Classified
Germ Cell Mutagenicity:	Not Classified
Carcinogenic:	Not Classified
Reproductive Toxicology:	Not Classified
Target Organ System Toxicity - Single Exposure:	Not Classified
Target Organ System Toxicity - Repeated Exposure:	Not Classified
Aspiration Toxicity:	Not Classified

**ENVIRONMENTAL HAZARDS**

Hazards to the Aquatic Environment:	Not Classified
Acute Aquatic Toxicity:	Not Classified
Chronic Aquatic Toxicity:	Not Classified
Bioaccumulation Potential:	Not Classified
Rapid Degradability:	Not Classified

EF5 - SDS

**Safety Data Sheet (SDS)**  
OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:**

Hazard Symbols: None  
 Precautionary Statements: P102 - Keep Out Of Reach of Children  
 P264 - Wash Hands Thoroughly After Handling

**POTENTIAL HEALTH EFFECTS:**

Inhalation: May cause irritation to nose and throat.  
 Skin contact: May cause slight irritation to skin.  
 Eye contact: May cause slight irritation to eyes on contact.  
 Ingestion: Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.  
 Existing conditions aggravated by exposure: None known  
 This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication). See Section 11 for additional toxicological information.

FFS-SDS

**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Components	CAS Number	Percentage %*
Calcium Carbonate	1314-65-3	< 45
Water	7732-18-5	< 35
Vinyl Acetate Polymers	None disclosed	< 30
Modified Acrylic Polymer	Proprietary	< 10
Additives	N/A	< 5
Color Pigment	1309-37-1	< 0.5

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protection.

**SECTION 4. FIRST AID MEASURES**

Inhalation: Move to fresh air in case of accidental inhalation of vapours.  
 Skin contact: Wash affected area immediately with soap and water.  
 Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical attention.  
 Ingestion: Consult a physician if necessary.  
 Symptoms: See Section 11.

**SECTION 5. FIRE FIGHTING MEASURES**

Flash point: Not applicable  
 Autoignition temperature: Not available  
 Flammable / Explosive limits - lower: Not available  
 Flammable / Explosive limits - upper: Not available  
 Extinguishing media: All standard firefighting procedures  
 Special firefighting procedures: Do not breathe combustion gases. Wear protective equipment  
 Unusual fire or explosion hazards: None known  
 Hazardous combustion products: Carbon Dioxide (CO<sub>2</sub>), Carbon Monoxide (CO), Fragmented Hydrocarbons

**Safety Data Sheet (SDS)**  
*OSHA Haz Com Standard 29 CFR 1910.1200.*

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Do not allow to enter drains, surface or ground water.

Clean-up methods:

Wipe up spills to prevent footing hazard. Scrape up spilled material and place in a closed container for disposal. Wear appropriate protective equipment and clothing during clean-up.

**SECTION 7. HANDLING AND STORAGE**

Handling:

Avoid contact with eyes, skin and clothing. Keep out of the reach of children.

Storage:

Store between 4°C (40°F) and below 32°C (90°F). Keep from freezing. Store in accordance with local regulations. Store in original container protected from direct sunlight, in a cool, dry area. Keep containers closed when not in use. Do not store in unlabeled containers.

For information on product shelf life, please review labels on containers or check the Technical Data Sheet.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Calcium Carbonate	10 mg/m <sup>3</sup> TWA (total dust)	5 mg/m <sup>3</sup> PEL (respirable fraction) 15 mg/m <sup>3</sup> PEL (total dust)	None	None
Color Pigment	5 mg/m <sup>3</sup> TWA (respirable fraction)	10 mg/m <sup>3</sup> TWA (fume)	None	None

Engineering controls:

Use general ventilation and use local exhaust, where possible, in confined or enclosed space.

Respiratory protection:

Respiratory protection is required during spraying. Use a NIOSH/MSHA approved respirator. Specific working conditions, may require an increase level of respiratory protection.

Eye / Face protection:

Safety goggles or safety glasses with side shields.

Skin protection:

Chemical resistant, impermeable gloves; Neoprene, Butyl-rubber, or Nitrile-rubber gloves.

EF5-SDS

**Safety Data Sheet (SDS)**  
OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state:	Liquid
Color:	Red
Odor:	Mild, aromatic
Odor threshold:	Not available
pH:	8.0 - 9.0
Vapor pressure:	18.52 mm Hg
Boiling point/range:	> 100°C (> 212°F)
Melting point/range:	Not available
Specific gravity:	1.15 - 1.35 at 25°C (77°F)
Vapor density:	Heavier than air, (Air = 1)
Flash point:	Not applicable
Flammable / Explosive limits - lower:	Not applicable
Flammable / Explosive limits - upper:	Not applicable
Autoignition temperature:	Not applicable
Evaporation rate:	< 1
Solubility in water:	Not applicable
Partition coefficient (n-octanol/water):	Not applicable
VOC content:	81.3 g/l (calculated)

**SECTION 10. STABILITY AND REACTIVITY**

Stability:	Stable under normal conditions of storage and use.
Hazardous reactions:	Not applicable
Hazardous decomposition products:	Carbon dioxide, carbon monoxide
Incompatible materials:	Strong alkalis, and mineral acids.
Reactivity:	Not applicable
Conditions to avoid:	Do not freeze

EF5-SDS

**Safety Data Sheet (SDS)**  
*OSHA Haz Com Standard 29 CFR 1910.1200.*

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 11. TOXICOLOGICAL INFORMATION**

Relevant Routes of Exposure: Inhalation, Skin Contact, Eyes, Ingestion

Potential Health Effects / Symptoms

Inhalation: May cause irritation to nose and throat  
 Skin contact: May cause slight irritation of skin.  
 Eye contact: May cause slight irritation to eyes on contact.  
 Ingestion: Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea and diarrhea.

Hazardous Components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Calcium Carbonate	No	No	No
Color Pigment	No	No	No

Hazardous Components	Health Effects / Target Organs
Calcium Carbonate	No Data
Color Pigment	No Data

**SECTION 12. ECOLOGICAL INFORMATION**

Ecological information: Not applicable

**SECTION 13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only:

Recommend method of disposal: Dispose should be in accordance with applicable regional, national, Federal, State and local governmental regulations.

Waste disposal: The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. This material and its containers must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product should at all times must comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste number: It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

EFS - SDS

**Safety Data Sheet (SDS)**  
OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional Information
DOT Classification	Not regulated	-	-	-	-	-
TDG Classification	Not regulated	-	-	-	-	-
Mexico Classification	Not regulated	-	-	-	-	-
ADR / RID Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-

**U.S. Department of Transportation Ground (49 CFR)**

Proper shipping name: Not regulated  
 Hazard class or division: None  
 Identification number: None  
 Packing group: None

**International Air Transportation (ICAO/IATA)**

Proper shipping name: Not regulated  
 Hazard class or division: None  
 Identification number: None  
 Packing group: None

**Water Transportation (IMO/IMDG)**

Proper shipping name: Not regulated  
 Hazard class or division: None  
 Identification number: None  
 Packing group: None

**SECTION 15. REGULATORY INFORMATION**

**United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory  
 TSCA 12 (b) Export Notification: None above reporting de minimus  
 CERCLA / SARA Section 302 EHS: None above reporting de minimus  
 CERCLA / SARA Section 311/312: Immediate health  
 CERCLA / SARA 313: None above reporting de minimus  
 California Proposition 65: No California Proposition 65 listed chemicals are known to be present. No California Proposition 65 listed chemicals are known to be present

**Canada Regulatory Information**

CEPA DSL / NDSL Status: All components are listed on or exempt from listing on the Canadian Domestic Substances List.  
 WHMIS hazard class: Not controlled

EF5-SDS

**Safety Data Sheet (SDS)**  
*OSHA Haz Com Standard 29 CFR 1910.1200.*

Revision Date: 01/06/2015

Version: 1.0

Replaces Version:

**SECTION 16. OTHER INFORMATION**

This material safety data sheet contains changes from the previous version in sections:

Prepared by:	Chemical Laboratory
Issue date:	June 1, 2015

This information is provided in good faith and is correct to the best of Grabber Construction Products' knowledge as of the date hereof; however, Grabber makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. Grabber disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

EFS - SDS