



SUBMITTAL SHEET

DESCRIPTION: DRYWALL NAIL LARGE FLAT HEAD DIAMOND POINT

PRODUCT:

- DWAT125 – Drywall Nail RS, 12.5 Ga Wire x 19/64" Hd x 1 1/4" Length
 - DWAT138 – Drywall Nail RS, 12.5 Ga Wire x 19/64" Hd x 1 3/8" Length
 - DWAT158 – Drywall Nail RS, 12.5 Ga Wire x 19/64" Hd x 1 5/8" Length
 - DWAT200 – Drywall Nail RS, 12.5 Ga Wire x 19/64" Hd x 2" Length
-

SCOPE:

- 2015, 2012, 2009 and 2006 International Building Code® (IBC)
 - 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
 - 1997 Uniform Building Code TM (UBC)
 - 2014 Florida Building Code
 - 2013 California Building Code
-

APPLICATION:

Gypsum panels to wood.

SUBMITTAL SHEET

November 3, 2015

JOB NAME:

CONTRACTOR:

DATE:

TRADEMARKS the following trademark used herein is owned by Grabber Construction Products Inc.
: GRABBER

NOTICE: We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

SPECIFICATIONS

SUBMITTAL SHEET November 3, 2015

Dimensions

Assembled Depth (in.)	Assorted	Fastener head width (in.)	19/64
Assembled Height (in.)	Assorted	Fastener length (in.)	Assorted
Assembled Width (in.)	Assorted	Nail Length (In.)	Assorted

Details

Angle (Degrees)	N/A	Exposure	Indoor
Collation material	N/A	Nail Gauge	12.5
Fastener Callout Size	0.099	Nail Type	Smooth
Fastener Head Style	Round	Package Quantity	Assorted
Fastener Type	Nail	Product Weight (lb.)	Assorted
Fastener/Connector Material	Steel	Specialty Fastener Type	Drywall
Finish Family	Bright		

STANDARDS:

A510M (Metric)	Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel
ASTM C514-04(2014)	Standard Specification for Nails for the Application of Gypsum Board
ASTM F1667 – 13	Standard Specification for Driven Fasteners: Nails, Spikes, and Staples
ASTM F1575 - 03(2013)	Standard Test Method for Determining Bending Yield Moment of Nails
A153/A153M	Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware
A641/A641M	Specification for Zinc-Coated (Galvanized) Carbon Steel Wire
B695	Specification for Coatings of Zinc Mechanically Deposited on Iron and Steel
F680	Test Methods for Nails
F1575	Test Method for Determining Bending Yield Moment of Nails